

| rincipal dimensions |    |     |       |        |      | Basic load ratings |      | Speed ratings |       | 轴承代号       | 安 装 相 关 尺 寸 |       |       |       |       |       |       | 重量    |
|---------------------|----|-----|-------|--------|------|--------------------|------|---------------|-------|------------|-------------|-------|-------|-------|-------|-------|-------|-------|
| d                   | D  | B   | rsmin | r1smin | F    | E                  | Cr   | C0r           | 脂润滑   | 油润滑        | damin       | damax | dbmin | Damax | Damin | ramax | rbmax |       |
| 72                  | 17 | 0.6 | 1.1   |        | 64   | 47.3               | 46.5 | 8500          | 10000 | N207EM     | 41.5        | 62    |       | 68    | 66    | 1     | 0.6   | 0.331 |
| 72                  | 17 | 1.1 | 0.6   | 44     |      | 47.3               | 46.5 | 8500          | 10000 | NJ207EM    | 39          | 42    | 50    | 65.5  |       | 1     | 0.6   | 0.338 |
| 72                  | 17 | 1.1 | 0.6   | 44     |      | 47.3               | 46.5 | 8500          | 10000 | NU207EM    | 39          | 42    | 46    | 65.5  |       | 1     | 0.6   | 0.331 |
| 72                  | 23 | 1.1 | 1.1   | 44     |      | 57.2               | 59   | 8500          | 10000 | NJ2207EM   | 39          | 42    | 50    | 65.5  |       | 1     | 0.6   | 0.363 |
| 72                  | 23 | 1.1 | 1.1   | 44     |      | 57.2               | 59.0 | 8500          | 10000 | NU2207EM   | 39          | 42    | 46    | 65.5  |       | 1     | 0.6   | 0.445 |
| 72                  | 23 | 1   | 0.6   | 44     |      | 66.0               | 70   | 8500          | 10000 | NJ2207ETN1 | 39          | 42    | 50    | 65.5  |       | 1     | 0.6   | 0.404 |
| 80                  | 21 | 1.5 | 1.5   |        | 67.8 | 61.2               | 46.5 | 8000          | 9500  | NCL307E/YA | 41.5        | 44    | 48    | 72    |       | 1.5   | 1     | 0.503 |
| 80                  | 21 | 1.5 | 1.1   | 46.2   |      | 62.7               | 60   | 8000          | 9500  | NJ307M     | 41.5        | 44    | 53    | 72    |       | 1.5   | 1     | 0.604 |
| 80                  | 21 | 1.5 | 1.5   |        | 70.2 | 62.7               | 60.0 | 8000          | 9500  | N307M      | 41.5        | 44    |       | 73.5  | 72    | 1.5   | 1     | 0.595 |
| 80                  | 21 | 1.5 | 1.1   | 46.2   |      | 66.6               | 65.5 | 8000          | 9500  | NJ307E     | 41.5        | 44    | 53    | 72    |       | 1.5   | 1     | 0.54  |
| 80                  | 21 | 1.5 | 1.1   |        | 70.2 | 62.7               | 70.0 | 8000          | 9500  | NF307M     | 41.5        |       |       | 73.5  | 72    | 1.5   | 1     | 0.610 |
| 80                  | 21 | 1.5 | 1.1   | 46.2   |      | 62.7               | 70.0 | 8000          | 9500  | NU307M     | 41.5        | 44    | 48    | 72    |       | 1.5   | 1     | 0.591 |
| 80                  | 21 | 1.5 | 1.1   | 46.2   |      | 66.6               | 70.0 | 8000          | 9500  | NU307E     | 41.5        | 44    | 48    | 72    |       | 1.5   | 1     | 0.526 |
| 80                  | 21 | 1.5 | 1.1   | 46.2   |      | 62.7               | 70.0 | 8000          | 9500  | NU307EQ1   | 41.5        | 44    | 48    | 72    |       | 1.5   | 1     | 0.591 |
| 80                  | 31 | 1.5 | 1.5   | 46.2   |      | 86.8               | 75   | 7000          | 8500  | NJ2307M    | 41.5        | 44    | 53    | 72    |       | 1.5   | 1     | 0.833 |
| 80                  | 31 | 1.1 | 1.1   | 46.2   |      | 93.5               | 100  | 7000          | 8500  | NU2307EM   | 41.5        | 44    | 48    | 72    |       | 1.5   | 1     | 0.81  |
| 80                  | 31 | 1.5 | 1.5   | 46.2   |      | 71.5               | 75.0 | 7000          | 8500  | NU2307EM   | 41.5        | 44    | 48    | 72    |       | 1     | 1     | 0.851 |
| 62                  | 16 | 1   | 0.6   | 37.5   |      | 37.4               | 35.0 | 9500          | 12000 | NJ206EM    | 34          | 36    | 43    | 57    |       | 1     | 0.6   | 0.264 |
| 62                  | 16 | 1   | 0.6   | 37.5   |      | 37.4               | 35.0 | 9500          | 12000 | NU206EM    | 34          | 36    | 39    | 57    |       | 1     | 0.6   | 0.259 |
| 62                  | 20 | 1   | 0.6   | 37.5   |      | 46.2               | 70.5 | 9500          | 12000 | NJ2206EM   | 34          | 36    | 43    | 57    |       | 1     | 0.6   | 0.297 |
| 70                  | 18 | 1.1 | 0.6   | 40     |      | 57.2               | 55.0 | 9000          | 11000 | NJ306X3WB/ | 35          | 38    | 45    | 63.5  |       | 1     | 1     | 0.342 |
| 72                  | 19 | 1.1 | 1.1   | 40.5   |      | 53.3               | 51.0 | 9000          | 11000 | NJ306EM    | 36.5        | 39    | 47    | 65.5  |       | 1     | 1     | 0.411 |
| 72                  | 27 | 1.1 | 1.1   | 42     |      | 70.0               | 64   | 9000          | 11000 | NUP2306M   | 36.5        |       | 47    | 65.5  |       | 1     | 1     | 0.585 |
| 72                  | 27 | 1.1 | 1.1   | 40.5   |      | 72.6               | 75.0 | 8000          | 95000 | NU2306EM   | 36.5        |       | 47    | 65.5  |       | 1     | 1     | 0.593 |
| 90                  | 23 | 1.5 | 1.5   | 45     |      | 77.6               | 65.5 | 7500          | 9000  | NJ406M     | 38          | 43    | 52    | 82    |       | 1.5   | 1.5   | 0.882 |
| 80                  | 18 | 1.1 | 1.1   | 49.5   |      | 55.6               | 55.5 | 7500          | 9000  | NJ208EM    | 46.5        | 48    | 56    | 73.5  |       | 1     | 1     | 0.460 |
| 80                  | 18 | 1.1 | 1.1   | 49.5   |      | 55.6               | 55.5 | 7500          | 9000  | NUP208EM   | 46.5        |       | 56    | 73.5  |       | 1     | 1     | 0.460 |
| 80                  | 18 | 1.1 | 1.1   |        | 71.5 | 55.6               | 55.5 | 7500          | 9000  | N208EM     | 46.5        | 69    |       | 73.5  | 73    | 1     | 1     | 0.425 |
| 80                  | 23 | 1.1 | 1.1   | 49.5   |      | 72.6               | 72   | 7500          | 9000  | NJ2208EM   | 46.5        | 48    | 56    | 73.5  |       | 1     | 1     | 0.539 |

|     |       |     |     |       |      |      |      |      |       |            |      |    |    |      |     |     |     |       |
|-----|-------|-----|-----|-------|------|------|------|------|-------|------------|------|----|----|------|-----|-----|-----|-------|
| 80  | 23    | 1.1 | 1.1 | 49.5  |      | 72.6 | 77.0 | 7500 | 9000  | NU2208EM   | 46.5 | 48 | 51 | 73.5 |     | 1   | 1   | 0.530 |
| 90  | 23    | 1.5 | 1.5 |       | 77.5 | 88.0 | 73.0 | 6700 | 8000  | NCL308E/YA | 48   | 50 | 60 | 82   |     | 1.5 | 1.5 | 0.683 |
| 90  | 23    | 1.5 | 1.5 |       | 80   | 88.0 | 87.0 | 6700 | 80000 | N308EM     | 48   | 78 |    | 82   | 82  | 1.5 | 1.5 | 0.794 |
| 90  | 23    | 1.5 | 1.5 |       | 80   | 88.0 | 87.0 | 6700 | 8000  | NF308E     | 48   |    |    | 82   | 82  | 1.5 | 1.5 | 0.750 |
| 90  | 23    | 1.5 | 1.5 | 52    |      | 88.0 | 87.0 | 6700 | 8000  | NJ308EM    | 48   | 50 | 60 | 82   |     | 1.5 | 1.5 | 0.815 |
| 90  | 23    | 1.5 | 1.5 | 52    |      | 88.0 | 87.5 | 6700 | 8000  | NUP308EM/C | 48   |    | 60 | 82   |     | 1.5 | 1.5 | 0.819 |
| 90  | 33    | 1.5 | 1.5 | 52    |      | 110  | 107  | 6300 | 7500  | NU2308EM   | 48   | 49 | 55 | 82   |     | 1.5 | 1.5 | 1.01  |
| 90  | 33    | 1.5 | 1.5 | 52    |      | 110  | 116  | 6300 | 7500  | NJ2308E    | 48   | 49 | 60 | 82   |     | 1.5 | 1.5 | 1.10  |
| 90  | 20    | 1.1 | 1.1 |       | 80.4 | 57.2 | 64.0 | 6300 | 7500  | N210M      | 56.5 | 79 |    | 83.5 | 82  | 1   | 1   | 0.559 |
| 90  | 20    | 1.1 | 1.1 |       | 80.4 | 57.2 | 64.0 | 6300 | 7500  | NF210M     | 56.5 |    |    | 83.5 | 82  | 1   | 1   | 0.565 |
| 90  | 20    | 1.1 | 1.1 | 60.4  |      | 57.2 | 64.0 | 6300 | 7500  | NU210M     | 56.5 | 57 | 62 | 83.5 |     | 1   | 1   | 0.564 |
| 90  | 20    | 1.1 | 1.1 | 60.4  |      | 57.2 | 64.0 | 6300 | 7500  | NU210Q1    | 56.5 | 57 | 62 | 83.5 |     | 1   | 1   | 0.557 |
| 90  | 20    | 1.1 | 1.1 | 59.5  |      | 70.4 | 67.5 | 6300 | 7500  | NU210EM    | 56.5 | 57 | 62 | 83.5 |     | 1   | 1   | 0.562 |
| 90  | 20    | 1.1 | 1.1 | 59.5  |      | 70.4 | 74.0 | 6300 | 7500  | NJ210EM    | 56.5 | 57 | 66 | 83.5 |     | 1   | 1   | 0.573 |
| 90  | 20    | 1.1 | 1.1 |       | 81.5 | 70.4 | 78.0 | 6300 | 7500  | NF210E     | 56.5 |    |    | 83.5 | 82  | 1   | 1   | 0.578 |
| 90  | 20    | 1.1 | 1.1 | 59.5  |      | 70.4 | 78.0 | 6300 | 7500  | NUP210E    | 56.5 |    | 66 | 83.5 |     | 1   | 1   | 0.591 |
| 90  | 23    | 1.1 | 1.1 | 59.5  |      | 82.5 | 90   | 6300 | 7500  | NU2210EM   | 56.5 | 57 | 62 | 83.5 |     | 1   | 1   | 0.65  |
| 90  | 23    | 1.1 | 1.1 | 59.5  |      | 82.5 | 90   | 6300 | 7500  | NJ2210EM   | 56.5 | 57 | 66 | 83.5 |     | 1   | 1   | 0.666 |
| 90  | 30.16 | 1.1 | 1.1 | 60.45 |      | 99.0 | 128  | 6300 | 7500  | NU5210XPC3 | 56   | 58 | 62 | 84   |     | 1   | 1   | 0.902 |
| 110 | 27    | 2   | 2   |       | 95   | 94.6 | 97.0 | 5000 | 6000  | N310M      | 59   | 93 |    | 101  | 97  | 2   | 2   | 1.17  |
| 110 | 27    | 2   | 2   | 65    |      | 94.6 | 97.0 | 5000 | 6000  | NJ310M     | 59   | 63 | 73 | 101  |     | 2   | 2   | 1.36  |
| 110 | 27    | 2.0 | 2.0 | 65    |      | 94.6 | 97.0 | 5000 | 6000  | NU310M/C3  | 59   | 63 | 67 | 101  |     | 2   | 2   | 1.29  |
| 110 | 27    | 2   | 2   |       | 97   | 119  | 115  | 5000 | 6000  | N310EM     | 59   | 95 |    | 101  | 99  | 2   | 2   | 1.30  |
| 110 | 27    | 2   | 2   |       | 97   | 119  | 125  | 5000 | 6000  | N310E      | 59   | 95 |    | 101  | 99  | 2   | 2   | 1.30  |
| 110 | 27    | 2   | 2   | 65    |      | 119  | 125  | 5000 | 6000  | NJ310E     | 59   | 63 | 73 | 101  |     | 2   | 2   | 1.33  |
| 110 | 27    | 2   | 2   | 65    |      | 119  | 125  | 5000 | 6000  | NU310E     | 59   | 63 | 67 | 101  |     | 2   | 2   | 1.29  |
| 110 | 27    | 2   | 2   | 65    |      | 94.5 | 97   | 5000 | 6000  | NUP310M    | 61   |    | 73 | 99   |     | 2   |     | 1.37  |
| 110 | 40    | 2   | 2   | 65    |      | 128  | 142  | 5000 | 6000  | NU2310M    | 59   | 61 | 67 | 101  |     | 2   | 2   | 1.91  |
| 110 | 40    | 2   | 2   | 65    |      | 171  | 198  | 5000 | 6000  | NJ2310E    | 59   | 62 | 73 | 101  |     | 2   | 2   | 1.95  |
| 110 | 40    | 2   | 2   | 65    |      | 171  | 198  | 5000 | 6000  | NJ2310EM   | 59   | 62 | 73 | 101  |     | 2   | 2   | 1.92  |
| 110 | 40    | 2   | 2   | 65    |      | 171  | 198  | 5000 | 6000  | NU2310E    | 59   | 61 | 62 | 67   | 101 | 2   | 2   | 1.92  |
| 110 | 40    | 2   | 2   | 65    |      | 155  | 198  | 5000 | 6000  | NU2310EM   | 59   | 61 | 67 | 101  |     | 2   | 2   | 1.89  |











|     |       |     |     |      |       |     |     |      |      |            |      |     |     |       |     |     |     |      |
|-----|-------|-----|-----|------|-------|-----|-----|------|------|------------|------|-----|-----|-------|-----|-----|-----|------|
| 150 | 51    | 2.1 | 2.1 | 89   |       | 286 | 345 | 3600 | 4300 | NJ2314E    | 81   | 86  | 100 | 139   |     | 2   | 2   | 4.33 |
| 180 | 42    | 3   | 3   |      | 151   | 262 | 283 | 3600 | 4300 | N414M      | 83   | 148 |     | 167   | 155 | 2.5 | 2.5 | 5.66 |
| 180 | 42    | 3   | 3   |      | 152   | 262 | 283 | 3600 | 4300 | N414       | 83   | 148 |     | 167   | 155 | 2.5 | 2.5 | 6.40 |
| 180 | 42    | 3   | 3   | 99   |       | 262 | 283 | 3600 | 4300 | NU414M     | 83   | 97  | 102 | 167   |     | 2.5 | 2.5 | 5.79 |
| 180 | 42    | 3   | 3   | 100  |       | 262 | 283 | 3600 | 4300 | NU414      | 83   | 97  | 102 | 167   |     | 2.5 | 2.5 | 6.38 |
| 180 | 42    | 3   | 3   | 100  |       | 262 | 283 | 3600 | 4300 | NJ414      | 83   | 97  | 113 | 167   |     | 2.5 | 2.5 | 6.68 |
| 180 | 42    | 3   | 3   | 100  |       | 262 | 283 | 3600 | 4300 | NJ414M     | 83   | 97  | 113 | 167   |     | 2.5 | 2.5 | 5.94 |
| 130 | 25    | 1.5 | 1.5 |      | 116.5 | 107 | 127 | 4500 | 5300 | N215M      | 83   | 114 |     | 122   | 121 | 1.5 | 1.5 | 1.40 |
| 130 | 25    | 1.5 | 1.5 | 88.5 |       | 107 | 127 | 4500 | 5300 | NU215M     | 83   | 86  | 91  | 122   |     | 1.5 | 1.5 | 1.42 |
| 130 | 25    | 1.5 | 1.5 | 88.5 |       | 107 | 127 | 4500 | 5300 | NJ215M     | 83   | 86  | 97  | 122   |     | 1.5 | 1.5 | 1.45 |
| 130 | 25    | 1.5 | 1.5 |      | 118.5 | 141 | 173 | 4500 | 5300 | N215E      | 83   | 116 |     | 122   | 121 | 1.5 | 1.5 | 1.38 |
| 130 | 25    | 1.5 | 1.5 | 88.5 |       | 141 | 173 | 4500 | 5300 | NU215E     | 83   | 86  | 91  | 122   |     | 1.5 | 1.5 | 1.39 |
| 130 | 25    | 1.5 | 1.5 | 88.5 |       | 141 | 173 | 4500 | 5300 | NJ215E     | 83   | 86  | 97  | 122   |     | 1.5 | 1.5 | 1.38 |
| 130 | 25    | 1.5 | 1.5 | 88.5 |       | 146 | 161 | 4500 | 5300 | NU215EL3/H | 83   | 86  | 91  | 122   |     | 1.5 | 1.5 | 1.3  |
| 130 | 25    | 1.5 | 1.5 | 88.5 |       | 146 | 161 | 4500 | 5300 | NUP215EL3/ | 83   |     | 97  | 122   |     | 1.5 | 1.5 | 1.35 |
| 130 | 30    | 1.5 | 1.5 | 88.5 |       | 132 | 166 | 4500 | 4500 | NUP2215M   | 83   |     | 97  | 122   |     | 1.5 | 1.5 | 2.03 |
| 130 | 31    | 1.5 | 1.5 | 88.5 |       | 132 | 166 | 4500 | 5300 | NU2215M    | 83   | 86  | 91  | 122   |     | 1.5 | 1.5 | 1.75 |
| 130 | 31    | 1.5 | 1.5 |      | 116.5 | 132 | 166 | 4500 | 5300 | N2215M     | 83   | 86  |     | 122   | 121 | 1.5 | 1.5 | 1.77 |
| 130 | 41.28 | 1.5 | 1.5 | 89   |       | 204 | 268 | 4000 | 4000 | NU5215XPC3 | 81.5 | 92  | 91  | 123.5 |     | 1   | 1   | 2.27 |
| 160 | 37    | 2.1 | 2.1 | 95.5 |       | 204 | 226 | 3400 | 4000 | NJ315Q1    | 86   | 137 | 107 | 149   | 142 | 2   | 2   | 3.75 |
| 160 | 37    | 2.1 | 2.1 |      | 139.5 | 204 | 264 | 3400 | 4000 | N315EM     | 86   | 140 |     | 149   | 146 | 2   | 2   | 3.65 |
| 160 | 37    | 2.1 | 2.1 |      | 139.5 | 204 | 226 | 3400 | 4000 | N315J      | 86   | 92  |     | 149   |     | 2   | 2   | 3.28 |
| 160 | 37    | 2.1 | 2.1 | 95   |       | 204 | 264 | 3400 | 4000 | NU315EM    | 86   | 92  | 97  | 149   |     | 2   | 2   | 3.62 |
| 160 | 37    | 2.1 | 2.1 | 95.5 |       | 204 | 226 | 3400 | 4000 | NU315Q1    | 86   | 92  | 97  | 149   |     | 2   | 2   | 3.68 |
| 160 | 37    | 2.1 | 2.1 |      | 143   | 241 | 285 | 3400 | 4000 | N315E      | 86   | 140 |     | 149   | 146 | 2   | 2   | 3.59 |
| 160 | 37    | 2.1 | 2.1 | 95   |       | 241 | 285 | 3400 | 4000 | NU315ETN1  | 86   | 92  | 97  | 149   |     | 2   | 2   | 3.25 |
| 160 | 37    | 2.1 | 2.1 | 95   |       | 241 | 264 | 3400 | 4000 | NUP315EM   | 86   |     | 107 | 149   |     | 2   | 2   | 3.75 |
| 160 | 37    | 2.1 | 2.1 |      | 139.5 | 255 | 226 | 3400 | 4000 | N315M      | 86   | 140 |     | 149   | 146 | 2   | 2   | 3.59 |
| 160 | 37    | 2.1 | 2.1 | 95.5 |       | 255 | 226 | 3400 | 4000 | NU315M     | 86   | 92  | 97  | 149   |     | 2   | 2   | 3.56 |
| 160 | 37    | 2.1 | 2.1 | 95   |       | 300 | 285 | 3400 | 4000 | NU315E     | 86   | 92  | 97  | 149   |     | 2   | 2   | 3.56 |
| 160 | 37    | 2.1 | 2.1 | 95.5 |       | 255 | 226 | 3400 | 4000 | NJ315M     | 86   | 92  | 107 | 149   |     | 2   | 2   | 3.63 |
| 160 | 37    | 2.1 | 2.1 | 95   |       | 300 | 285 | 3400 | 4000 | NJ315E     | 86   | 157 | 107 | 149   | 163 | 2   | 2   | 3.64 |



|     |       |     |     |       |     |     |      |      |            |    |     |     |     |     |     |     |      |
|-----|-------|-----|-----|-------|-----|-----|------|------|------------|----|-----|-----|-----|-----|-----|-----|------|
| 170 | 39    | 2.1 | 2.1 | 101   | 275 | 285 | 3200 | 3800 | NJ316EM    | 91 | 98  | 113 | 159 |     | 2   | 2   | 4.32 |
| 170 | 39    | 2.1 | 2.1 | 151   | 275 | 286 | 3200 | 3800 | N316EM     | 91 | 148 |     | 159 | 154 | 2   | 2   | 4.22 |
| 170 | 39    | 2.1 | 2.1 | 101   | 275 | 286 | 3200 | 3800 | NU316EM    | 91 | 98  | 104 | 159 |     | 2   | 2   | 4.26 |
| 170 | 39    | 2.1 | 2.1 | 151   | 275 | 310 | 3200 | 3800 | N316E      | 91 | 148 |     | 159 | 154 | 2   | 2   | 3.98 |
| 170 | 39    | 2.1 | 2.1 | 101   | 275 | 310 | 3200 | 3800 | NJ316E     | 91 | 98  | 113 | 159 | 154 | 2   | 2   | 4.08 |
| 170 | 39    | 2.1 | 2.1 | 101   | 275 | 310 | 3200 | 3800 | NU316E     | 91 | 98  | 104 | 159 |     | 2   | 2   | 4.25 |
| 170 | 39    | 2.1 | 2.1 | 101   | 275 | 310 | 3200 | 3800 | NU316ETN1  | 91 | 98  | 104 | 159 |     | 2   | 2   | 3.89 |
| 170 | 58    | 2.1 | 2.1 | 147   | 304 | 380 | 3200 | 3800 | N2316M     | 91 | 144 |     | 159 |     | 2   | 2   | 6.15 |
| 170 | 58    | 2.1 | 2.1 | 103   | 304 | 380 | 3200 | 3800 | NU2316M    | 91 | 98  | 106 | 159 | 154 | 2   | 2   | 6.34 |
| 170 | 58    | 2.1 | 2.1 | 103   | 304 | 380 | 3200 | 3800 | NJ2316M    | 91 | 98  | 113 | 159 |     | 2   | 2   | 6.44 |
| 170 | 58    | 2.1 | 2.1 | 101   | 374 | 460 | 3200 | 3800 | NU2316E    | 91 | 98  | 104 | 159 |     | 2   | 2   | 6.28 |
| 170 | 58    | 2.1 | 2.1 | 151   | 374 | 460 | 3200 | 3800 | N2316E     | 91 | 148 |     | 159 | 150 | 2   | 2   | 6.26 |
| 170 | 58    | 2.1 | 2.1 | 101   | 374 | 460 | 3200 | 3800 | NJ2316E    | 91 | 98  | 113 | 159 |     | 2   | 2   | 6.94 |
| 200 | 48    | 3   | 3   | 170   | 341 | 375 | 3200 | 3800 | N416M      | 93 | 167 |     | 187 |     | 2.5 | 2.5 | 8.02 |
| 200 | 48    | 3   | 3   | 110   | 341 | 375 | 3200 | 3800 | NU416M     | 93 | 106 | 113 | 187 |     | 2.5 | 2.5 | 8.19 |
| 200 | 48    | 3   | 3   | 110   | 341 | 375 | 3200 | 3800 | NJ416M     | 93 | 106 | 125 | 187 | 173 | 2.5 | 2.5 | 8.31 |
| 150 | 28    | 2   | 2   | 101.8 | 143 | 175 | 3800 | 4500 | NU217M     | 94 | 98  | 103 | 141 |     | 2   | 2   | 2.09 |
| 150 | 28    | 2   | 2   | 101.8 | 143 | 175 | 3800 | 4500 | NJ217M     | 94 | 98  | 110 | 141 |     | 2   | 2   | 2.15 |
| 150 | 28    | 2   | 2   | 136.5 | 179 | 217 | 3800 | 4500 | N217E      | 94 | 134 |     | 141 | 139 | 2   | 2   | 2.08 |
| 150 | 28    | 2   | 2   | 100.5 | 179 | 217 | 3800 | 4500 | NU217E     | 94 | 98  | 103 | 141 |     | 2   | 2   | 2.08 |
| 150 | 28    | 2   | 2   | 100.5 | 179 | 217 | 3800 | 4500 | NJ217E     | 94 | 98  | 110 | 141 |     | 2   | 2   | 2.12 |
| 150 | 28    | 2   | 2   | 100.5 | 179 | 217 | 3800 | 4500 | NUP217EM   | 94 |     | 110 | 141 |     | 2   | 2   | 2.27 |
| 150 | 36    | 2   | 2   | 101.8 | 196 | 263 | 3800 | 4500 | NU2217M/C3 | 94 | 98  | 103 | 141 |     | 2   | 2   | 2.8  |
| 150 | 36    | 2   | 2   | 100.5 | 218 | 279 | 3800 | 4500 | NU2217EM   | 94 | 98  | 103 | 141 |     | 2   | 2   | 2.82 |
| 150 | 36    | 2   | 2   | 100.5 | 215 | 279 | 3800 | 4500 | NJ2217EM   |    | 98  | 110 | 139 |     | 2   |     | 2.86 |
| 150 | 49.2  | 2   | 2   | 102   | 223 | 310 | 3800 | 4500 | NU3217M/C3 | 94 | 98  | 103 | 141 |     | 2   | 2   | 3.88 |
| 150 | 49.21 | 2   | 2   | 102   | 252 | 350 | 3800 | 4500 | NU5217XPC3 | 94 | 100 | 104 | 141 |     | 1.5 | 1.5 | 3.88 |
| 180 | 41    | 3   | 3   | 160   | 298 | 208 | 3000 | 3600 | IS-N317EM  | 98 | 157 |     | 167 | 163 | 2.5 | 2.5 | 5.2  |
| 180 | 41    | 3   | 3   | 160   | 312 | 360 | 3000 | 3600 | N317EQ1    | 98 | 157 |     | 167 | 163 | 2.5 | 2.5 | 5.20 |
| 180 | 41    | 3   | 3   | 108   | 312 | 360 | 3000 | 3600 | NJ317EQ1   | 98 | 105 | 120 | 167 |     | 2.5 | 2.5 | 5.27 |
| 180 | 41    | 3   | 3   | 108   | 312 | 360 | 3000 | 3600 | NU317E     | 98 | 105 | 111 | 167 |     | 2.5 | 2.5 | 5.12 |
| 180 | 41    | 3   | 3   | 108   | 312 | 360 | 3000 | 3600 | NU317EM    | 98 | 105 | 111 | 167 |     | 2.5 | 2.5 | 5.16 |





|     |       |     |     |       |        |     |     |      |      |            |       |     |     |     |     |     |     |      |
|-----|-------|-----|-----|-------|--------|-----|-----|------|------|------------|-------|-----|-----|-----|-----|-----|-----|------|
| 170 | 55.56 | 3.2 | 2   |       | 149.61 | 305 | 445 | 3400 | 4000 | NU5219XPC3 | 107.5 | 112 | 116 | 161 |     | 1.5 | 3   | 5.48 |
| 200 | 45    | 3   | 3   |       | 173.5  | 295 | 340 | 2600 | 3200 | N319M      | 108   | 170 |     | 187 | 178 | 2.5 | 2.5 | 6.67 |
| 200 | 45    | 3   | 3   |       | 173.5  | 295 | 340 | 2600 | 3200 | N319J      | 108   | 170 |     | 187 | 181 | 2.5 | 2.5 | 6.74 |
| 200 | 45    | 3   | 3   | 121.5 |        | 295 | 340 | 2600 | 3200 | NU319M     | 108   | 118 | 124 | 187 |     | 2.5 | 2.5 | 7.00 |
| 200 | 45    | 3   | 3   | 121.5 |        | 295 | 340 | 2600 | 3200 | NJ319M     | 108   | 118 | 133 | 187 |     | 2.5 | 2.5 | 7.06 |
| 200 | 45    | 3   | 3   | 121.5 |        | 319 | 365 | 2600 | 3200 | NU319EM/Z1 | 108   | 118 | 124 | 187 |     | 2.5 | 2.5 | 6.68 |
| 200 | 45    | 3   | 3   |       | 177.5  | 358 | 420 | 2600 | 3200 | N319EM     | 108   | 174 |     | 187 | 181 | 2.5 | 2.5 | 7.00 |
| 200 | 45    | 3   | 3   |       | 177.5  | 358 | 420 | 2600 | 3200 | N319E      | 108   | 174 |     | 187 | 181 | 2.5 | 2.5 | 6.92 |
| 200 | 45    | 3   | 3   |       | 177.5  | 358 | 420 | 2600 | 3200 | N319ETN1   | 108   | 174 |     | 187 | 181 | 2.5 | 2.5 | 6.31 |
| 200 | 45    | 3   | 3   | 121.5 |        | 358 | 420 | 2600 | 3200 | NJ319E     | 108   | 118 | 135 | 187 |     | 2.5 | 2.5 | 6.86 |
| 200 | 45    | 3   | 3   | 121.5 |        | 358 | 420 | 2600 | 3200 | NU319E     | 108   | 118 | 124 | 187 |     | 2.5 | 2.5 | 6.74 |
| 200 | 67    | 3   | 3   | 121.5 |        | 413 | 530 | 2600 | 3200 | NU2319Q1   | 108   | 116 | 124 | 187 |     | 2.5 | 2.5 | 9.86 |
| 200 | 67    | 3   | 3   | 121.5 |        | 435 | 565 | 2600 | 3200 | NU2319M    | 108   | 116 | 124 | 187 |     | 2.5 | 2.5 | 10.3 |
| 200 | 67    | 3   | 3   | 121.5 |        | 435 | 565 | 2600 | 3200 | NJ2319M    | 108   | 116 | 135 | 187 |     | 2.5 | 2.5 | 10.2 |
| 200 | 67    | 3   | 3   | 121.5 |        | 479 | 615 | 2600 | 3200 | NU2319E    | 108   | 116 | 124 | 187 |     | 2.5 | 2.5 | 9.84 |
| 200 | 67    | 3   | 3   | 121.5 |        | 479 | 615 | 2600 | 3200 | NJ2319E    | 108   | 116 | 135 | 187 |     | 2.5 | 2.5 | 9.77 |
| 200 | 67    | 3   | 3   |       | 177.5  | 479 | 615 | 2600 | 3200 | N2319E     | 108   | 116 |     | 187 | 181 | 2.5 | 2.5 | 9.76 |
| 200 | 67    | 3   | 3   | 121.5 |        | 435 | 565 | 2600 | 3200 | NJ2319M/W2 | 108   | 116 | 135 | 187 |     | 2.5 | 2.5 | 10.2 |
| 240 | 55    | 4   | 4   |       | 201.5  | 457 | 525 | 2600 | 3200 | N419M      | 111   | 198 |     | 224 | 205 | 3   | 3   | 13.3 |
| 240 | 55    | 4   | 4   | 133.5 |        | 457 | 525 | 2600 | 3200 | NU419M     | 111   | 130 | 136 | 224 |     | 3   | 3   | 13.6 |
| 240 | 55    | 4   | 4   | 133.5 |        | 457 | 525 | 2600 | 3200 | NJ419M     | 111   | 130 | 150 | 224 |     | 3   | 3   | 13.9 |
| 240 | 55    | 4   | 4   | 133.5 |        | 457 | 525 | 2600 | 3200 | NUP419M    | 111   |     | 150 | 224 |     | 3   | 3   | 14.2 |
| 180 | 34    | 2.1 | 2.1 |       | 160    | 208 | 256 | 3200 | 3800 | NF220M     | 111   |     |     | 169 | 163 | 2   | 2   | 3.55 |
| 180 | 34    | 2.1 | 2.1 | 120   |        | 208 | 256 | 3200 | 3800 | NJ220M     | 111   | 116 | 130 | 169 |     | 2   | 2   | 3.61 |
| 180 | 34    | 2.1 | 2.1 | 120   |        | 208 | 256 | 3200 | 3800 | NU220M     | 111   | 116 | 123 | 169 |     | 2   | 2   | 3.52 |
| 180 | 34    | 2.1 | 2.1 | 120   |        | 208 | 256 | 3200 | 3800 | NU220Q1    | 111   | 116 | 123 | 169 |     | 2   | 2   | 3.57 |
| 180 | 34    | 2.1 | 2.1 |       | 163    | 266 | 330 | 3200 | 3800 | N220E      | 111   | 160 |     | 169 | 166 | 2   | 2   | 3.77 |
| 180 | 34    | 2.1 | 2.1 | 119   |        | 266 | 330 | 3200 | 3800 | NU220E     | 111   | 116 | 122 | 169 |     | 2   | 2   | 3.75 |
| 180 | 34    | 2.1 | 2.1 | 119   |        | 266 | 330 | 3200 | 3800 | NJ220E     | 111   | 116 | 130 | 169 |     | 2   | 2   | 3.81 |
| 180 | 34    | 2.1 | 2.1 | 119   |        | 266 | 330 | 3200 | 3800 | NUP220E    | 111   |     | 130 | 169 |     | 2   | 2   | 3.90 |
| 180 | 34    | 2.1 | 2.1 | 120   |        | 231 | 238 | 3200 | 3800 | NUP220M    | 112   |     | 130 | 168 |     | 2   |     | 3.71 |
| 180 | 46    | 2.1 | 2.1 |       | 160    | 274 | 385 | 3200 | 3800 | N2220M     | 111   | 116 |     | 169 | 166 | 2   | 2   | 5.25 |







|     |       |     |     |       |      |      |      |      |            |      |     |     |      |     |     |     |       |
|-----|-------|-----|-----|-------|------|------|------|------|------------|------|-----|-----|------|-----|-----|-----|-------|
| 260 | 55    | 3   | 3   | 226   | 539  | 645  | 1900 | 2400 | N324J      | 133  | 222 |     | 247  | 230 | 2.5 | 2.5 | 13.9  |
| 260 | 55    | 3   | 3   | 154   | 539  | 645  | 1900 | 2400 | NU324M     | 133  | 150 | 157 | 247  |     | 2.5 | 2.5 | 15.4  |
| 260 | 55    | 3   | 3   | 154   | 539  | 645  | 1900 | 2400 | NU324Q1    | 133  | 150 | 157 | 247  |     | 2.5 | 2.5 | 15.2  |
| 260 | 55    | 3   | 3   | 154   | 539  | 645  | 1900 | 2400 | NJ324M     | 133  | 150 | 171 | 247  |     | 2.5 | 2.5 | 15.7  |
| 260 | 55    | 3   | 3   | 154   | 539  | 645  | 1900 | 2400 | NUP324M    | 133  |     | 171 | 247  |     | 2.5 | 2.5 | 16.0  |
| 260 | 55    | 3   | 3   | 230   | 594  | 710  | 1900 | 2400 | N324E      | 133  | 226 |     | 247  | 234 | 2.5 | 2.5 | 14.3  |
| 260 | 55    | 3   | 3   | 154   | 594  | 710  | 1900 | 2400 | NU324E     | 133  | 150 | 157 | 247  |     | 2.5 | 2.5 | 15.8  |
| 260 | 55    | 3   | 3   | 154   | 594  | 710  | 1900 | 2400 | NJ324E     | 133  | 150 | 171 | 247  |     | 2.5 | 2.5 | 16.0  |
| 260 | 86    | 3   | 3   | 226   | 737  | 970  | 1900 | 2400 | N2324M     | 133  | 223 |     | 247  | 229 | 2.5 | 2.5 | 22.9  |
| 260 | 86    | 3   | 3   | 154   | 737  | 970  | 1900 | 2400 | NU2324M    | 133  | 149 | 157 | 247  |     | 2.5 | 2.5 | 23.1  |
| 260 | 86    | 3   | 3   | 154   | 737  | 970  | 1900 | 2400 | NJ2324M    | 133  | 149 | 170 | 247  |     | 2.5 | 2.5 | 23.6  |
| 260 | 86    | 3   | 3   | 154   | 737  | 970  | 1900 | 2400 | NJ2324M/C4 | 133  | 149 | 170 | 247  |     | 2.5 | 2.5 | 24.6  |
| 260 | 106   | 3   | 3   | 230   | 990  | 1380 | 1900 | 2400 | NF3324Q1   | 133  | 149 | 170 | 247  |     | 2.5 | 2.5 | 29.9  |
| 310 | 72    | 5   | 5   | 260   | 770  | 915  | 1900 | 2400 | N424M      | 140  | 254 |     | 290  | 266 | 4   | 4   | 29.0  |
| 310 | 72    | 5   | 5   | 170   | 770  | 915  | 1900 | 2400 | NU424M     | 140  | 165 | 173 | 290  |     | 4   | 4   | 29.1  |
| 310 | 72    | 5   | 5   | 170   | 770  | 915  | 1900 | 2400 | NU424Q1    | 140  | 165 | 173 | 290  |     | 4   | 4   | 28.8  |
| 310 | 72    | 5   | 5   | 170   | 770  | 915  | 1900 | 2400 | NJ424M     | 140  | 165 | 191 | 290  |     | 4   | 4   | 29.7  |
| 85  | 19    | 1.1 | 1.1 | 54.5  | 67.5 | 72.5 | 6700 | 8000 | NJ209EM    | 51.5 | 53  | 61  | 78.5 |     | 1   | 1   | 0.51  |
| 85  | 19    | 1.1 | 1.1 | 76.5  | 67.5 | 72.5 | 6700 | 8000 | NF209EM    | 51.5 |     |     | 78.5 | 78  | 1   | 1   | 0.510 |
| 85  | 19    | 1.1 | 1.1 | 54.5  | 67.5 | 72.5 | 6700 | 8000 | NUP209EM   | 52   |     | 61  | 78   |     | 1   |     | 0.507 |
| 85  | 23    | 1.1 | 1.1 | 54.5  | 77.5 | 84.5 | 5600 | 6700 | NU2209EM   | 51   | 53  | 58  | 79   |     | 1   | 1   | 0.635 |
| 85  | 23    | 1.1 | 1.1 | 54.5  | 77.5 | 84.5 | 5600 | 6700 | NJ2209E/C3 | 51.5 | 53  | 61  | 78.5 |     | 1   | 1   | 0.639 |
| 85  | 23    | 1.1 | 1.1 | 54.5  | 77.5 | 84.5 | 5600 | 6700 | NJ2209EM   | 51.5 | 53  | 61  | 78.5 |     | 1   | 1   | 0.645 |
| 85  | 30.16 | 1.1 | 1.1 | 55.52 | 94.6 | 119  | 6300 | 7500 | NU5209XPC3 | 51   | 53  | 58  | 79   |     | 1   | 1   | 0.843 |
| 100 | 25    | 1.5 | 1.5 | 86.5  | 83.6 | 84.0 | 6300 | 7500 | N309M      | 53   | 84  | 89  | 92   |     | 1.5 | 1.5 | 0.920 |
| 100 | 25    | 1.5 | 1.5 | 86.5  | 83.6 | 84.0 | 6300 | 7500 | N309J      | 53   | 84  | 89  | 92   |     | 1.5 | 1.5 | 0.820 |
| 100 | 25    | 1.5 | 1.5 | 58.5  | 83.6 | 84.0 | 6300 | 7500 | NU309M/C3  | 53   | 56  | 61  | 92   |     | 1.5 | 1.5 | 0.992 |
| 100 | 25    | 1.5 | 1.5 | 58.5  | 100  | 93.5 | 6300 | 7500 | NJ309EM    | 53   | 56  | 67  | 92   |     | 1.5 | 1.5 | 1     |
| 100 | 25    | 1.5 | 1.5 | 88.5  | 100  | 101  | 6300 | 7500 | N309EM     | 53   | 86  |     | 92   | 91  | 1.5 | 1.5 | 0.959 |
| 100 | 25    | 1.5 | 1.5 | 58.5  | 100  | 102  | 6300 | 7500 | NUP309E    | 53   |     | 67  | 92   |     | 1.5 | 1.5 | 1.01  |
| 100 | 25    | 1.5 | 1.5 | 88.5  | 100  | 109  | 6300 | 7500 | N309E      | 53   | 86  |     | 92   | 91  | 1.5 | 1.5 | 0.964 |
| 100 | 25    | 1.5 | 1.5 | 88.5  | 100  | 109  | 6300 | 7500 | N309ETN1   | 53   | 86  |     | 92   | 91  | 1.5 | 1.5 | 0.846 |







|     |      |     |     |        |      |      |      |      |            |     |     |     |       |     |     |     |      |
|-----|------|-----|-----|--------|------|------|------|------|------------|-----|-----|-----|-------|-----|-----|-----|------|
| 300 | 62   | 4   | 4   | 180    | 655  | 805  | 1800 | 2200 | NUP328M    | 156 |     | 199 | 284   |     | 3   | 3   | 22.3 |
| 300 | 62   | 4   | 4   | 180    | 655  | 805  | 1800 | 2200 | NJ328Q1    | 156 | 176 | 199 | 284   |     | 3   | 3   | 22.1 |
| 300 | 62   | 4   | 4   | 180    | 715  | 880  | 1800 | 2200 | NU328EM    | 156 | 176 | 183 | 284   |     | 3   | 3   | 21.8 |
| 300 | 102  | 4   | 4   | 260    | 957  | 1310 | 1800 | 2200 | N2328M     | 156 | 256 |     | 284   | 264 | 3   | 3   | 34.6 |
| 300 | 102  | 4   | 4   | 180    | 960  | 1310 | 1800 | 2200 | NU2328M    | 156 | 176 | 183 | 284   |     | 3   | 3   | 33.6 |
| 300 | 102  | 4   | 4   | 180    | 960  | 1310 | 1800 | 2200 | NJ2328M    | 156 | 176 | 199 | 284   |     | 3   | 3   | 34.8 |
| 300 | 102  | 4   | 4   | 180    | 960  | 1310 | 1800 | 2200 | NJ2328M/W2 | 156 | 176 | 199 | 284   |     | 3   | 3   | 34.8 |
| 360 | 82   | 5   | 5   | 196    | 1010 | 1200 | 1800 | 2200 | NJ428M     | 160 | 192 | 219 | 340   |     | 4   | 4   | 46.3 |
| 210 | 28   | 3   | 4   | 165    | 171  | 270  | 2700 | 3300 | NJ1930B1M/ | 166 | 189 | 165 | 180   |     | 3   | 3   | 2.94 |
| 210 | 28   | 2   | 4   | 165    | 170  | 270  | 2700 | 3300 | NJ1930B1M/ | 166 | 189 | 165 | 180   |     | 3   | 3   | 2.94 |
| 225 | 35   | 2.1 | 1.5 | 169.5  | 212  | 310  | 2600 | 3200 | NJ1030M    | 159 | 166 | 178 | 214   |     | 2   | 2   | 5.05 |
| 225 | 35   | 2.1 | 2.1 | 169.5  | 212  | 310  | 2600 | 3200 | NU1030M    | 159 | 166 | 172 | 214   |     | 2   | 2   | 4.94 |
| 225 | 35   | 2   | 1.5 | 169.5  | 238  | 320  | 2600 | 3200 | NU1030Q1/H | 159 | 166 | 172 | 214   |     | 2   | 2   | 5.13 |
| 225 | 56   | 2.1 | 2.1 | 169.5  | 363  | 620  | 2400 | 3000 | NU3030M/P6 | 159 | 166 | 172 | 214   |     | 2   | 2   | 7.99 |
| 270 | 45   | 3   | 3   | 238    | 418  | 565  | 2000 | 2600 | N230M      | 163 | 234 |     | 257   | 242 | 2.5 | 2.5 | 11.6 |
| 270 | 45   | 3   | 3   | 182    | 418  | 565  | 1900 | 2400 | NU230M     | 163 | 178 | 185 | 257   |     | 2.5 | 2.5 | 11.8 |
| 270 | 45   | 3   | 3   | 182    | 418  | 565  | 1900 | 2400 | NJ230M     | 163 | 178 | 197 | 257   |     | 2.5 | 2.5 | 12.0 |
| 270 | 45   | 3   | 3   | 182    | 418  | 565  | 1900 | 2400 | NUP230M    | 163 |     | 197 | 257   |     | 2.5 | 2.5 | 12.3 |
| 270 | 45   | 3   | 3   | 242    | 457  | 610  | 1900 | 2400 | N230E      | 163 | 238 |     | 257   | 246 | 2.5 | 2.5 | 11.5 |
| 270 | 45   | 3   | 3   | 182    | 457  | 610  | 1900 | 2400 | NU230E     | 163 | 178 | 185 | 247   |     | 2.5 | 2.5 | 11.2 |
| 270 | 45   | 3   | 3   | 182    | 457  | 610  | 1900 | 2400 | NU230EQ1   | 163 | 178 | 185 | 257   |     | 2.5 | 2.5 | 11.8 |
| 270 | 45   | 3   | 3   | 182    | 457  | 610  | 1900 | 2400 | NJ230E     | 163 | 178 | 197 | 257   |     | 2.5 | 2.5 | 11.6 |
| 270 | 45   | 3   | 3   | 182    | 405  | 550  | 2000 | 2600 | IS-NU230M  | 163 | 178 | 185 | 247   |     | 2.5 | 2.5 | 11.8 |
| 270 | 73   | 3   | 3   | 182    | 660  | 980  | 1900 | 2400 | NJ2230E    | 163 | 177 | 197 | 257   |     | 2.5 | 2.5 | 18.1 |
| 270 | 88.9 | 6.4 | 2.6 | 181.53 | 1020 | 1610 | 1800 | 2200 | NU5230XPC3 | 167 | 180 | 185 | 260.5 |     | 2   | 2   | 23.6 |
| 320 | 65   | 4   | 4   | 277    | 715  | 890  | 1700 | 2000 | N330M      | 166 | 272 |     | 304   | 282 | 3   | 3   | 26.5 |
| 320 | 65   | 4   | 4   | 193    | 715  | 890  | 1700 | 2000 | NU330M     | 166 | 189 | 196 | 304   |     | 3   | 3   | 26.6 |
| 320 | 65   | 4   | 4   | 193    | 715  | 890  | 1700 | 2000 | NJ330M     | 166 | 189 | 213 | 304   |     | 3   | 3   | 26.9 |
| 320 | 65   | 4   | 4   | 193    | 715  | 890  | 1700 | 2000 | NUP330M    | 166 |     | 213 | 304   |     | 3   | 3   | 27.4 |
| 320 | 65   | 4   | 4   | 193    | 814  | 1010 | 1700 | 2000 | NU330EQ1   | 166 | 189 | 196 | 304   |     | 3   | 3   | 26.2 |
| 320 | 65   | 4   | 4   | 193    | 814  | 1010 | 1700 | 2000 | NU330EQ1/C | 166 | 189 | 196 | 304   |     | 3   | 3   | 26.2 |
| 320 | 65   | 4   | 4   | 193    | 814  | 1010 | 1700 | 2000 | NJ330EM    | 166 | 189 | 213 | 304   |     | 3   | 3   | 26.2 |



























|        |        |        |      |      |      |      |       |     |     |            |      |      |      |      |      |   |      |
|--------|--------|--------|------|------|------|------|-------|-----|-----|------------|------|------|------|------|------|---|------|
| 666.75 | 838.2  | 114.3  | 3    | 6    | 796  | 2870 | 6850  | 560 | 680 | NFP6/666X4 | 682  | 730  | 820  | 3    | 160  |   |      |
| 670    | 820    | 69     | 4    | 4    | 708  | 1230 | 2800  | 550 | 650 | NJ18/670   | 700  | 727  | 805  | 3    | 83.8 |   |      |
| 700    | 930    | 160    | 6    | 6    | 760  | 3520 | 8500  | 500 | 600 | NU6/700    | 733  | 760  | 772  | 900  | 5    | 5 | 306  |
| 710    | 870    | 95     | 4    | 4    | 831  | 1880 | 4950  | 480 | 560 | N28/710EM  | 725  | 825  | 855  | 835  | 3    | 3 | 128  |
| 711.2  | 863.6  | 107.95 | 6.35 | 6.35 | 743  | 3300 | 6700  | 500 | 600 | NUP6/711.2 | 740  | 750  | 800  | 835  | 5    | 5 | 136  |
| 723.8  | 908.05 | 120.65 | 5    | 5    | 865  | 3350 | 8300  | 480 | 550 | NFP6/723.8 | 752  | 765  | 883  | 850  | 4    | 4 | 197  |
| 750    | 920    | 78     | 5    | 5    | 794  | 1450 | 3500  | 480 | 590 | NU18/750M  | 770  | 784  | 800  | 900  | 4    | 4 | 105  |
| 800    | 980    | 82     | 5    | 5    | 846  | 1700 | 4200  | 430 | 510 | NJ18/800EM | 818  | 838  | 866  | 962  | 4    |   | 144  |
| 812.8  | 1016   | 139.7  | 6    | 6    | 865  | 4150 | 10500 | 420 | 500 | NUP6/812X4 | 830  | 860  | 880  | 986  | 5    | 5 | 277  |
| 820    | 990    | 72     | 5    | 5    | 943  | 1180 | 2960  | 450 | 530 | N6/820     | 840  | 937  | 970  | 944  | 4    | 4 | 128  |
| 850    | 1030   | 106    | 5    | 5    | 902  | 2050 | 5900  | 410 | 480 | NU28/80M   | 868  | 891  | 908  | 1012 | 4    | 4 | 192  |
| 900    | 1090   | 85     | 5    | 5    | 949  | 1900 | 4850  | 370 | 440 | NU18/900M  | 918  | 942  | 956  | 1072 | 4    | 4 | 172  |
| 950    | 1250   | 175    | 7.5  | 7.5  | 1024 | 5560 | 13000 | 340 | 400 | NU29/950   | 978  | 1013 | 1013 | 1222 | 6    | 6 | 596  |
| 1000   | 1220   | 100    | 6    | 6    | 1053 | 2650 | 6550  | 350 | 420 | NU18/1000M | 1023 | 1040 | 1060 | 1197 | 5    | 5 | 264  |
| 1060   | 1280   | 128    | 6    | 6    | 1225 | 3550 | 10500 | 310 | 370 | N28/1060M  | 1083 | 1218 | 1257 | 1230 | 5    | 5 | 355  |
| 1120   | 1360   | 106    | 6    | 6    | 1182 | 3350 | 8600  | 270 | 330 | NJ18/1120E | 1143 | 1175 | 1210 | 1337 | 5    |   | 330  |
| 1180   | 1420   | 106    | 6    | 6    | 1242 | 2950 | 7750  | 250 | 320 | NJ18/1180E | 1203 | 1228 | 1270 | 1397 | 5    |   | 354  |
| 1200   | 1520   | 185    | 7.5  | 7.5  | 1289 | 6220 | 17000 | 110 | 140 | NU6/1200/C | 1240 | 1274 | 1304 | 1480 | 6    | 6 | 825  |
| 1250   | 1500   | 112    | 6    | 6    | 1316 | 3630 | 9550  | 300 | 380 | NU18/1250C | 1280 | 1306 | 1326 | 1470 | 5    | 5 | 386  |
| 1320   | 1600   | 122    | 6    | 6    | 1395 | 3650 | 9500  | 190 | 250 | NU18/1320M | 1343 | 1382 | 1403 | 1577 | 5    | 5 | 525  |
| 1400   | 1700   | 175    | 7.5  | 7.5  | 1637 | 6300 | 1750  | 175 | 210 | N28/1400EM | 1428 | 1627 | 1672 | 1647 | 6    | 6 | 858  |
| 1500   | 1820   | 140    | 7.5  | 7.5  | 1585 | 6220 | 17300 | 195 | 250 | NU18/1500/ | 1528 | 1728 | 1748 | 1792 | 6    | 6 | 773  |
| 1700   | 2060   | 160    | 7.5  | 7.5  | 1784 | 6950 | 18500 | 125 | 155 | NU18/1700E | 1728 | 1771 | 1795 | 2032 | 6    | 6 | 1156 |
| 1900   | 2300   | 175    | 9.5  | 9.5  | 2204 | 8150 | 23700 | 90  | 115 | N18/1900   | 1934 | 2194 | 2266 | 2219 | 8    | 8 | 1480 |