

基本尺寸				基本额定负荷		极限转速		轴承代号	作用点a	安装相关尺寸			重量
d	D	B	r12	Cr	Cor	脂润滑	油润滑			da(min)	Da(max)	ra(max)	
30	72	19	1.1	50.1	38	8000	11000	QJ306MA	35.7	37	65	1	0.463
35	80	21	1.5	57.2	42	7100	9500	QJ307N2Q1	40.3	44	71	1.5	0.69
40	80	18	1.1	56	46	6700	9000	QJ208	42	47	73	1	1.07
45	100	25	1.5	88.9	72	5600	7500	QJ309M	50.8	54	91	1.5	1.08
55	100	21	1.5	98	71	530	7000	QJ211	54.3	64	91	1.5	0.798
60	110	22	1.5	92.3	87	4800	6300	QJ212M	59.5	69	101	1.5	0.928
65	140	33	2.1	153	132	3800	5300	QJ313Q1	71.8	77	128	2	2.32
65	140	33	2.1	153	132	3800	5300	QJ313N2Q1	71.8	77	128	2	2.32
65	140	33	2.1	153	132	3500	5000	QJ313M	71.8	77	128	2	2.34
70	125	24	1.5	109	107	4000	5600	QJ214N2Q1	68.3	79	116	1.5	1.29
70	150	35	2.1	185	166	3600	5000	QJ314M	78.4	82	138	2	3.28
75	130	25	1.5	117	123	3800	5300	QJ215M	71.8	84	121	1.5	1.38
75	160	37	2.1	212	204	3400	4800	QJ315N2	82.3	87	148	2	3.83
75	160	37	2.1	212	204	3400	4800	QJ315N2/C9	82.3	87	148	2	3.83
80	125	22	1.1	80	91.5	3900	5200	QJ1016N2	71.8	87	118	1	1.07
80	140	26	2	138	146	3600	5000	QJ216	77	90	130	2	2.02
80	140	26	2	138	146	3600	5000	QJ216N2	77	90	130	2	2.02
85	180	41	3	248	255	3000	4000	QJ317N2	92.8	99	166	2.5	5.45
90	160	30	2	164	174	3200	4300	QJ218N2	87.5	100	150	2	2.87
90	160	30	2	164	174	3200	4300	QJ218	87.5	100	150	2	2.87
90	160	30	2	138	147	3200	4300	QJ218/HAC4	87.5	100	150	2	2.87
90	190	43	3	251	259	2800	3800	QJ318N2	98	104	176	2.5	6.25
90	190	43	3	251	259	2800	3800	NJ318N2Q1	98	104	176	2.5	6.22
95	170	32	2.1	174	188	3000	4000	QJ219N2	92.8	107	158	2	3.30
95	200	45	3	285	310	2600	3600	QJ319N2	103.3	109	186	2.5	7.52
100	150	24	1.5	103	128	3200	4300	QJF1020	87.5	109	141	1.5	1.63
100	180	34	2.1	198	215	2800	3800	QJ220	98	112	168	2	3.91
100	180	34	2.1	198	215	2800	3800	QJ220N2Q1	98	112	168	2	3.74
100	215	47	3	300	370	2400	3400	QJ320N2	110.3	114	201	2.5	8.78
105	160	26	2	120	150	2800	3800	QJ1021M	93	116	150	2	2
110	170	28	2	147	186	2800	3800	QJ1022M	98.1	120	160	2	2.68

420	760	150	7.5	1400	3700	550	750	QJ1284	590	456	725	6.5	320
440	600	74	4	740	1750	650	850	QJ1988	364	460	580	3	66
440	650	94	6	975	2550	600	800	QJ1088	382	468	621	5	110
440	790	155	7.5	1360	3700	600	700	QJ1288	615	477	755	6.5	352
460	680	100	6	1010	2550	650	850	QJ1092	399	488	652	5	130
460	830	165	7.5	1490	4200	500	700	QJ1292	645	498	795	6.5	420
560	780	60	5	689	1840	600	800	QJF9/560X1	469.1	582	758	4	100